



Review on deinococcus radium, the super bacterium and its survival mechanisms in hostile conditions

Mohammed Abdulrazak Ibraheem Al Qatan^{1*}, Rafal Mhaide Younis², Khansaa Basem Fadhil³

¹ Department of Biology, College of Science, University of Mosul, Mosul, Iraq

² Department of Biology, College of Education for Women, University of Mosul, Mosul, Iraq

³ Department of Technical Medical Laboratory, Northern Technical University, Kirkuk, Iraq

Abstract

The remarkable bacterium *Deinococcus radiodurans* is best known for its unique ability to survive environmental stressors, including desiccation and ionizing radiation. This bacterium has drawn considerable scholarly interest due to its efficient DNA repair mechanisms as well as potential applications in biotechnology, astrobiology, and bioremediation. This article explores *D. radiodurans* genetic and physiological attributes, the molecular mechanisms responsible for its radiation resistance, and the advanced molecular techniques used to detect it. The potential science and industrial applications.

Keywords: Super bacterium, deinococcus, radiodurans

Introduction

Every life form cannot endure the harsh and non-conductive atmosphere of outer space. The ability of certain extremophile bacteria to endure the harsh conditions of space has been astonishing^[1]. Microorganisms that are exposed to the outer space environment face a variety of harsh conditions, such as extreme vacuum, desiccation, freezing, zero gravity, and galactic and solar cosmic ultraviolet radiation^[2, 3]. Microbial reactions after exposure outside the ISS have been reported in a few prior studies^[4, 5, 6].

Astrobiology has been significantly impacted by the EXPOSE studies (2008–2015), which found that seeds and lichens (e.g., *Stichococcus* sp., *Trichoderma* sp., *Acarospora* sp.) as well as spore-forming bacteria (e.g., *Bacillus subtilis*) may survive interplanetary transit^[7, 8], and thermophilic bacteria like *Deinococcus geothermalis* that do not produce spores^[9]. We still don't fully understand the molecular processes that enable adaptation and survival in the harsh environment of space, though^[10, 11]. There are many noteworthy characteristics of the gram-positive bacterium *Deinococcus radiodurans*^[1, 12].

which makes it a good fit for tests involving prolonged exposure to space as part of the Tanpopo orbital project^[13, 5]. A member of the family of Deinococcaceae, *Deinococcus radiodurans* was first discovered in 1956 during the study of radiation sterilization of food. This species is remarkably resistant to extreme conditions of the environment^[15]. Because of its unique ability to endure intense DNA damage, these bacteria is considered one of the most resilient forms of life on earth. Understanding the mechanisms of its survival is essential for biotechnology, space science, and nuclear waste disposal, some have even called it “Conan the Bacterium” due to its tough nature^[16].

Unique and Surprising Features

Deinococcus radiodurans is one of a kind among organisms as it can withstand up to 15,000 grays (Gy) of ionizing radiation, while humans perish from a dose of only 5 Gy.

Even more astonishing is the fact that the bacterium completely repairs its shattered DNA within a few hours; it is unparalleled among all known living species^[17].

Researchers have shown that its toroidal (ring-like) genome shape enables it to quickly and accurately repair damaged genetic material^[18]. Additionally, research indicates that *D. radiodurans* may have developed its resilience as a result of adaptation to severe dehydration, which results in comparable cellular damage, rather than radiation exposure^[19].

Deinococcus Species Types

Although the most well-known species is *Deinococcus radiodurans*, the following other species in the *Deinococcus* genus share comparable severe resistance characteristics:

- **Deinococcus geothermalis:** A thermophilic organism that can endure high temperatures.
- **Deinococcus deserti:** a highly UV-resistant organism that has adapted to dry desert settings.
- **Deinococcus maricopenis:** A marine organism that can withstand elevated salt concentrations.
- **Deinococcus peraridilitoris:** This organism, which was isolated from extremely dry areas, exhibits resistance to a variety of stresses.

Genetic and Physiological Features

The Gram-positive, non-motile bacteria *D. radiodurans* usually forms tetrads. Its multilayered S-layer and strong cell wall give it structural stability^[20]. Its extremely effective DNA repair system, which allows it to rebuild its genome even after being exposed to large amounts of ionizing radiation, is one of its most remarkable characteristics^[6]. Its high concentration of manganese complexes, which shield cellular proteins from oxidative damage while facilitating quick DNA repair, is another uncommon feature^[21, 22].

Images of Deinococcus radiodurans in Microscopic and Colonies



Fig 1: Microscopic view of *Deinococcus radiodurans*, a radiation-resistant bacterium.




Fig 2: Experiment showing *Deinococcus radiodurans* growth at different dilutions.




Fig 3: Fluorescence microscopy of *Deinococcus radiodurans* under high magnification.




Fig 4: Electron microscope image showing the spherical structure of *Deinococcus radiodurans*.

Mechanisms of radiation resistance at the molecular level d. Radiodurans' resistance mechanisms are predicated on several elements

- **Highly Effective DNA Repair Systems:** To preserve genomic integrity, the bacterium uses base excision repair, non-homologous end joining, and homologous recombination [12].
- **Antioxidant Accumulation:** Manganese complex accumulation shields proteins from oxidative damage brought on by reactive oxygen species generated by radiation [21].
- **Genetic Regulation:** According to [22] up regulating stress response genes guarantees quick recovery and survival in harsh environments.
- **Cellular Architecture:** As pointed out by [18], the conclusive nucleoid form decreases the possibility of breaks in the DNA and facilitates efficient repair [18].

Techniques for molecular detection of deinococcus radiodurans several molecular techniques can accurately identify and characterize d. Radiodurans, including precise

1. **Polymerase Chain Reaction (PCR):** Quick identification is made possible by specific primers that target conserved genes like recA and gyrB [23].

2. Using quantitative PCR (qPCR), bacterial populations in environmental samples can be precisely quantified [24].
3. Phylogenetic evaluation and taxonomy category are provided with the aid of 16S rRNA gene sequencing [25].
4. According to [25], Whole-Genome Sequencing (WGS) allows thorough genetic characterisation and evolutionary investigations.
5. Direct observation of bacterial cells in complicated substances is made viable with the aid of Fluorescence in Situ Hybridization (FISH) [26]

Factors that have an effect on virulence D. Radiodurans isn't always a dangerous micro organism, but it does have numerous survival traits that enable it to flourish in harsh situations. A table outlining its fundamental virulence-like characteristics may be discovered under:

Table 1: Factors Affecting Microorganisms' Abundant Stress Resistance

Factor	Description
DNA Repair System	Sophisticated systems for quick and effective genome restoration.
Antioxidant Defense	Manganese complexes build up to shield DNA and proteins.
S-layer Protection	resists environmental stress chemically and structurally.
Enzymatic Activity	synthesis of enzymes that can break down toxic materials.

Possible Dangers and Issues Although *Deinococcus* species have many

- **Benefits, but they also carry certain risks. Concerns about Genetic Modification:** Developing *D. radiodurans* for bioremediation or other uses presents moral and environmental safety issues. The introduction of microorganisms into non-native settings may have an unintended ecological impact.
- **Potential for Antibiotic Resistance:** Careful handling in lab settings is necessary since certain germs show resistance to particular antibiotics.

Uses and Prospects for the Future *D. radiodurans* has potential in a number of scientific domains

- **Bioremediation:** According to [27], bioremediation can be genetically modified to break down hazardous radioactive waste.
- **Space Biology:** Research on its ability to survive in space has implications for astrobiology and planetary defense [28].
- **Biotechnology in medicine and industry:** Its strong DNA repair systems spur developments in genome editing and protein stabilization technologies [17].

Current Developments in the Study of *Deinococcus radiodurans*

Deinococcus radiodurans is a bacterium renowned for its remarkable resistance to desiccation, ionizing radiation, and other extreme environmental circumstances. Its strong defense mechanisms have drawn much attention from current research on DNA repair, extremophile survival, and biotechnological uses.

Finding of an Antioxidant Compound Based on manga

In a major discovery, new research has shown that a special antioxidant process involving three manganese ions, phosphate groups, and a peptide called DP1 helps the bacterium *Deinococcus radiodurans* survive radiation. This combination preserves cell integrity under stress by preventing oxidative damage from radiation exposure to cellular proteins and enzymes (CNN Arabic, 2024) [30].

This realization makes it possible to incorporate enhanced antioxidant systems into industrial enzymes or therapeutic medicines that fight oxidative stress in human tissues.

Ability to Survive in Environments Similar to Mars

An experiment simulating conditions on Mars has shown that the bacteria *D. radiodurans* can withstand radiation doses tens of thousands of times higher than human dosages when freeze-dried. The study suggests that if microbial life were buried beneath the surface of Mars, it may persist for millions of years (CNN Arabic, 2024) [30]. This discovery adds significantly to our understanding of astrobiology's understanding of the persistence of life in extraterrestrial conditions and lends credence to the panspermia theory

Opportunities for DNA Repair and Cancer Treatment

A protein in *D. radiodurans* known as DdrC was recently identified by researchers as having the ability to bind and stabilize DNA during double-strand break repair, hence expanding its potential utility. Initial studies suggest that

DdrC may enhance genome stability when expressed in different organisms. The development of advanced gene therapies or radiation protection agents may be based on this [29].

These findings could have a major impact on the development of cancer vaccines or treatments where genetic integrity is at risk.

Conclusion

Deinococcus radiodurans holds considerable potential for a variety of biotechnological applications and is a model organism for studying mechanisms of exceptional resistance. Use of its unique properties for innovative space exploration and environmentally sustainable solutions should be the focus of future research.

Funding Sources: No funding was received

Conflict of Interest:

None

References

1. Ott E, Kawaguchi Y, Kölbl D, Rabbow E, Rettberg P, Mora M. *et al.* Molecular repertoire of *Deinococcus radiodurans* after 1 year of exposure outside the International Space Station within the Tanpopo mission. *Microbiome*,2020;8:1-16.
2. Selbmann L, Zucconi L, Isola D, Onofri S. Rock black fungi: Excellence in the extremes, from the Antarctic to space. *Current Genetics*,2015;61(3):335–345. <https://doi.org/10.1007/s00294-014-0457-7>
3. Wassmann M, Moeller R, Rabbow E, Panitz C, Horneck G, Reitz G, *et al.* Survival of spores of the UV-resistant *Bacillus subtilis* strain MW01 after exposure to low-earth orbit simulated martian conditions: Data from the space experiment ADAPT on EXPOSE-E. *Astrobiology*,2012;12(5):498–507. <https://doi.org/10.1089/ast.2011.0737>
4. Chiange AJ, Malli Mohan GB, Singh NK, Vaishampayan PA, Kalkum M, Venkateswaran K. *et al.* Alteration of proteomes in first-generation cultures of *Bacillus pumilus* spores exposed to outer space. *mSystems*, 2019, 4. <https://doi.org/10.1128/mSystems.00210-19>
5. Leuko S, Bohmeier M, Hanke F, Böttger U, Rabbow E, Parpart A, *et al.* On the stability of deinoxanthin exposed to Mars conditions during a long-term space mission implication for biomarker detection on other planets. **Frontiers in Microbiology*,2017;8:1680. <https://doi.org/10.3389/fmicb.2017.01680>.
6. Vaishampayan PA, Rabbow E, Horneck G, Venkateswaran KJ. Survival of *Bacillus pumilus* spores for a prolonged period of time in real space conditions. *Astrobiology*,2012;12(5):487–497. <https://doi.org/10.1089/ast.2011.0738>.
7. Neuberger K, Lux-Endrich A, Panitz C, Horneck G. Survival of spores of *Trichoderma longibrachiatum* in space. Data from the space experiment SPORES on EXPOSE-R. **International Journal of Astrobiology*,2014;14(1):129–135. <https://doi.org/10.1017/S1473550414000150>.
8. Onofri S, de la Torre R, de Vera JP, Ott S, Zucconi L, Selbmann L, *et al.* Survival of rock-colonizing organisms after 1.5 years in outer space.

- Astrobiology,2012;12(5):508–516.
<https://doi.org/10.1089/ast.2011.0736>.
9. Panitz C, Frosler J, Wingender J, Flemming HC, Rettberg P. Tolerances of *Deinococcus geothermalis* biofilms planktonic cells exposed to space simulated Martian conditions in low Earth orbit for almost two years. *Astrobiology*,2019;19(8):979–994.
 10. Li J, Liu F, Wang Q, Ge P, Woo PC, Yan J, *et al.* Genomic transcriptomic analysis of NDM-1 *Klebsiella pneumoniae* in spaceflight reveal mechanisms underlying environmental adaptability. *Scientific Reports*,2014;4:6216.
<https://doi.org/10.1038/srep06216>
 11. Mastroleo F, Van Houdt R, Leroy B, Benotmane MA, Janssen A, Mergeay M, *et al.* Experimental design environmental parameters affect *Rhodospirillum rubrum* S1H response to space flight. *ISME Journal*,2009;3(12):1402–1419.
<https://doi.org/10.1038/ismej.2009.72>
 12. Slade D, Radman M. Oxidative stress resistance in *Deinococcus radiodurans*. *Microbiology Molecular Biology Reviews*,2011;75(1),133-191.
 13. Krisko A, Radman M. Biology of extreme radiation resistance: The way of *Deinococcus radiodurans*. *Cold Spring Harbor Perspectives in Biology*,2013;5(7):012765.
<https://doi.org/10.1101/cshperspect.a012765>
 14. Anderson AW, *et al.* Studies on a radiation-resistant *Micrococcus* I. Isolation, morphology, cultural characteristics, resistance to gamma radiation. *Food Technology*,1956;10:575-577.
 15. Makarova KS, *et al.* Genome of the extremely radiation-resistant bacterium **Deinococcus radiodurans* viewed from the perspective of comparative genomics. *Microbiology Molecular Biology Reviews*,2001;65(1):44-79.
 16. Anderson AW, *et al.* Studies on a radiation-resistant *Micrococcus* I. Isolation, morphology, cultural characteristics, resistance to gamma radiation. *Food Technology*,1956;10:575-577.
 17. Daly MJ. Death by protein damage in irradiated cells. *DNA Repair*,2012;11(1):12-21.
 18. Zimmerman JM, Battista JR. A ring-like nucleoid structure in the radioresistant bacterium *Deinococcus radiodurans*. *Journal of Bacteriology*,2005;187(23):7854-7865.
 19. Mattimore V, Battista JR. Radioresistance of *Deinococcus radiodurans*: functions necessary to survive ionizing radiation are also necessary to survive prolonged desiccation. *Journal of Bacteriology*,1996;178(3):633–637
 20. Battista JR. Against all odds. The survival strategies of *Deinococcus radiodurans*. *Annual Review of Microbiology*,1997;51(1):203-224.
 21. Daly MJ, Gaidamakova EK, Matrosova VY, Vasilenko A, Zhai M, Leapman RD. *et al.* *Small-molecule antioxidant proteome-shields in Deinococcus radiodurans*. *PLoS ONE*,2010;5(9):12570.
 22. Rabbow E, Rettberg P, Parpart A, Panitz C, Schulte W, Molter F, *et al.* EXPOSE-R2. The astrobiological ESA mission on board of the International Space Station. *Frontiers in Microbiology*,2017;8:1533.
<https://doi.org/10.3389/fmicb.2017.01533>.
 23. Makarova KS, *et al.* Systems biology of radiation resistance in *Deinococcus radiodurans*. *PLoS Biology*,2007;5(3):76.
 24. White O, *et al.* Complete genome sequence of the radioresistant bacterium *Deinococcus radiodurans* R1. *Science*,1999;286(5444):1571-1577.
 25. Sharma A, *et al.* Quantification of *Deinococcus radiodurans* in extreme environments using qPCR. *Environmental Microbiology Reports*,2020;12(5):680-690.
 26. Kolari M, *et al.* Phylogenetic characterization of *Deinococcus geothermalis*, *Deinococcus murrayi* based on 16S rRNA gene sequences. *International Journal of Systematic Evolutionary Microbiology*,2001;51(2):443-455.
 27. Schmid M, *et al.* Fluorescence in situ hybridization FISH for direct visualization of microorganisms. *Methods in Microbiology*,2000;29:319-341.
 28. Brim H, McFarlan SC, Fredrickson JK, Minton KW, Zhai M, Wackett LP. *et al.* Engineering *Deinococcus radiodurans* for metal remediation in radioactive mixed waste environments. *Nature biotechnology*,2000;18(1):85-90.
 29. Ott CM, *et al.* Survival of *Deinococcus radiodurans* in space environments: Implications for lithopanspermia. *Astrobiology*,2019;19(7):979-988.
 30. CNN Arabic. Researchers uncover the secret antioxidant trio behind the radiation resistance of *Deinococcus radiodurans*, 2024. Retrieved from: <https://arabic.cnn.com/science-and-health/article/2024/12/16/bacteria-deinococcus-radiodurans-ability-to-survive-radiation-doses-kill-a-human>
 31. Al-Nahda News. Scientists discover a DNA-repair protein with potential cancer vaccine applications, 2024. Retrieved from: <https://alnahdanews.com/article/154272>